GRAND TRAVERSE COUNTY HEALTH DEPARTMENT



COMMUNITY HEALTH 2600 LaFranier Road Traverse City, MI 49686 231-995-6111 ENVIRONMENTAL HEALTH 2650 LaFranier Road Traverse City, MI 49686 231-995-6051 EMERGENCY MANAGEMENT 2600 LaFranier Road Traverse City, MI 49686 231-995-6059 ANIMAL CONTROL 2650 LaFranier Road Traverse City, MI 49686 231-995-6080

www.gtchd.org

FOR IMMEDIATE RELEASE

August 27, 2015

Weekly Grand Traverse Bay Beach Report (Wednesday Sampling)

Sampled August 26, 2015, Reported August 27, 2015

<u>Beach</u>	This weeks sample results E. coli count per 100ml	30 day Geometric Mean	Water Quality Index
West End	308	N.A.	2
Clinch Park	93	N.A.	1
Bryant Park	148	N.A.	1
East Bay Park	16	N.A.	1
Traverse City State Park	1120	N.A.	3
Acme Bayside Park	22	N.A.	1
Sayler Park	0	N.A.	1
Sunset Park*	143	49	1
TC Senior Center*	1194	101	3

Water Quality Index	Body Contact Limits	E.coli/100ml (Single Event)	E.coli/100ml (30 day geo- mean)
Level 1	E. coli levels meet MDEQ swimming standards for full body contact.	0-300	0-130
Level 2	E. coli levels meet MDEQ standards for wading, fishing, and boating. Contact above the waist not advised.	301-1000	131-1000
Level 3	E. coli levels exceed MDEQ standards, no body contact advised.	>1000	>1000
Level 4	Health Alert. E. coli levels and/or known gross contamination of beach waters. Avoid contact with beach waters.		

Note: Beach samples are routinely collected once a week. Therefore E. coli levels may not meet the Michigan Department of Environmental Quality (MDEQ) standards between sampling days. E. coli levels are more likely to increase after a storm.

*E.coli levels for Sunset Park and TC Senior Center Beach are calculated utilizing the geometric mean of three (3) individual samples. All other beaches utilize a composite of three (3) samples. Both sampling methods are approved by the MDEQ.

Note: For those beaches utilizing the geometric mean of three individual samples, if beach samples contain more than 130 E.coli/100ml, as a 30-day geometric mean, a notice for that beach will be set at the water quality index of 2 and will remain until the 30-day geometric mean is below 130 E.coli per 100ml.